

Sample label. Please see package insert
for complete prescribing information.

freeflex®

NDC 63323-626-01

50 mL

0.45% Sodium Chloride Injection, USP

0.225 grams per 50 mL
(4.5 mg per mL)

For intravenous use.

Rx only

Each 100 mL contains: Sodium Chloride
450 mg in water for injection.

Electrolytes per 1,000 mL:

Sodium

77 mEq

Chloride

77 mEq

154 mOsmol/LITER (CALC.)

pH 6.0 (4.5 to 7.0)

Single-Dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist,
if available. When introducing additives, use aseptic
technique, mix thoroughly and do not store.

Usual dosage: See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

STORE AT: 20° to 25°C (68° to 77°F) [see USP
Controlled Room Temperature].

Protect from freezing.

The container closure is not
made with natural rubber latex.
Non-PVC, Non-DEHP, Sterile.

LOT

Mfd. for:

EXP



FRESENIUS
KABI

Lake Zurich, IL 60047

Made in Norway

www.fresenius-kabi.com/us

403284A

FUE 1340 01-69-19-008 1 2 3 4 5 6 7 8 9 0

(01)00363323626013

Sample label. Please see package insert
for complete prescribing information.

freeflex®

NDC 63323-626-02

100 mL

0.45% Sodium Chloride Injection, USP

0.45 grams per 100 mL
(4.5 mg per mL)

For intravenous use.

Rx only

Each 100 mL contains: Sodium Chloride
450 mg in water for injection.

Electrolytes per 1,000 mL:

Sodium

77 mEq

Chloride

77 mEq

154 mOsmol/LITER (CALC.)

pH 6.0 (4.5 to 7.0)

Single-Dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist,
if available. When introducing additives, use aseptic
technique, mix thoroughly and do not store.

Usual dosage: See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

STORE AT: 20° to 25°C (68° to 77°F) [see USP
Controlled Room Temperature].

Protect from freezing.

The container closure is not
made with natural rubber latex.

Non-PVC, Non-DEHP, Sterile.

Mfd. for:



Lake Zurich, IL 60047

Made in Norway

www.fresenius-kabi.com/us

LOT

EXP

403285A

FUE 1341 01-69-19-009

1 2 3 4 5 6 7 8 9 0

(01)00363323626020



**Sample label. Please see package insert
for complete prescribing information.**



free *flex*[®]

NDC 63323-626-03

250 mL

0.45% Sodium Chloride Injection, USP

1.125 grams per 250 mL
(4.5 mg per mL)

50

For intravenous use.

Rx only

Each 100 mL contains: Sodium Chloride
450 mg in water for injection.

Electrolytes per 1,000 mL:

Sodium 77 mEq

Chloride 77 mEq

100

154 mOsmol/LITER (CALC.) pH 5.6 (4.5 to 7.0)

Single-Dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with
pharmacist, if available. When introducing
additives, use aseptic technique, mix thoroughly
and do not store.

150

Usual dosage: See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

STORE AT: 20° to 25°C (68° to 77°F) [see USP
Controlled Room Temperature]. Protect from
freezing.

The container closure is not made with natural
rubber latex. Non-PVC, Non-DEHP, Sterile.

200



(01)00363323626037

LOT

EXP

Mfd. for:



**FRESENIUS
KABI**

Lake Zurich, IL 60047

Made in Norway

www.fresenius-kabi.com/us


1 2 3 4 5 6 7 8 9 0

403286A


FUE 1342 01-69-19-010

mL





NDC 63323-626-04



freeflex®

500 mL

0.45% Sodium Chloride Injection, USP**2.25 grams per 500 mL**
(4.5 mg per mL)

For intravenous use.

Rx only

100**Each 100 mL contains:** Sodium Chloride 450 mg in water for injection.

Electrolytes per 1,000 mL:

Sodium 77 mEq

Chloride 77 mEq

154 mOsmol/LITER (CALC.) pH 5.6 (4.5 to 7.0)

200

Single-Dose Container. Discard Unused Portion.

Additives may be incompatible. Consult with pharmacist, if available.
When introducing additives, use aseptic technique, mix thoroughly and do not store.**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

300**STORE AT: 20° to 25°C (68° to 77°F)** [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex.

Non-PVC, Non-DEHP, Sterile.

400

(01)00363323626044

Mfd. for:

**FRESENIUS
KABI**

Lake Zurich, IL 60047

Made in Germany

LOT


EXP

**Sample Label.
Please see
package insert
for complete
prescribing
information.**


www.fresenius-kabi.com/us


403269

mL




0743561/00 US





NDC 63323-626-05

100

freeflex®

1,000 mL

0.45% Sodium Chloride Injection, USP200**4.5 grams per 1,000 mL**
(4.5 mg per mL)

For intravenous use.

Rx only

Each 100 mL contains: Sodium Chloride 450 mg in water for injection.

Electrolytes per 1,000 mL:

Sodium 77 mEq

Chloride 77 mEq

154 mOsmol/LITER (CALC.) pH 5.6 (4.5 to 7.0)

Single-Dose Container. Discard Unused Portion.

400Additives may be incompatible. Consult with pharmacist, if available.
When introducing additives, use aseptic technique, mix thoroughly and do not store.**Usual dosage:** See package insert.

The overwrap is a moisture barrier.

Use immediately once removed from overwrap.

500**STORE AT:** 20° to 25°C (68° to 77°F) [see USP Controlled Room Temperature]. Protect from freezing.

The container closure is not made with natural rubber latex.

Non-PVC, Non-DEHP, Sterile.

600

(01)00363323626051

Mfd. for:

 **FRESENIUS
KABI**

Lake Zurich, IL 60047


Made in Germany

www.fresenius-kabi.com/us

403266

LOT

EXP

Sample Label.
Please see
package insert
for complete
prescribing
information.mL

0743571/00 US

